

## PORTABLE GENERATORS



**Diesel and Gasoline Powered**

**Your Power Partner**  
[www.masterpower.com.tr](http://www.masterpower.com.tr)

## MDG4500DEM



Engine	GM178FE
Phase	Monofaze
Max Power KVA @ 0,8	4,5
Continuous Power KVA @ 0,8	3,75
Max Power KVA @ 1	3,65
Continuous Power KVA @ 1	3
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	80-85
Dimensions W X L X H	48x64x67
Starting Type	Electric & Coil Start
Net Weight	75 kg

## MDG7500DEM



Engine	GM186FAE
Phase	Monofaze
Max Power KVA @ 0,8	6,9
Continuous Power KVA @ 0,8	6,25
Max Power KVA @ 1	5,5
Continuous Power KVA @ 1	5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	80-85
Dimensions W X L X H	49x72x73
Starting Type	Electric & Coil Start
Net Weight	108 kg

## MDG7500DET



Engine	GM186FAE
Phase	Trifaze
Max Power KVA @ 0,8	6,9
Continuous Power KVA @ 0,8	6,25
Max Power KVA @ 1	5,5
Continuous Power KVA @ 1	5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	80-85
Dimensions W X L X H	49x72x73
Starting Type	Electric & Coil Start
Net Weight	108 kg

## MDG7500DEMK



Engine	GM178FE
Phase	Monofaze
Max Power KVA @ 0,8	6,9
Continuous Power KVA @ 0,8	6,25
Max Power KVA @ 1	5,5
Continuous Power KVA @ 1	5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	68-72
Dimensions W X L X H	52x93x78
Starting Type	Electric Start
Net Weight	165 kg

## MDG7500DETK



Engine	GM186FAE
Phase	Trifaze
Max Power KVA @ 0,8	6,9
Continuous Power KVA @ 0,8	6,25
Max Power KVA @ 1	5,5
Continuous Power KVA @ 1	5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	68-72
Dimensions W X L X H	52x93x78
Starting Type	Electric Start
Net Weight	165 kg

## MDG9500DEM



Engine	GM192FBE
Phase	Monofaze
Max Power KVA @ 0,8	8,7
Continuous Power KVA @ 0,8	8,1
Max Power KVA @ 1	7
Continuous Power KVA @ 1	6,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	80-85
Dimensions W X L X H	49x72x73
Starting Type	Electric & Coil Start
Net Weight	114 kg



## MDG9500DET



Engine	GM192FBE
Phase	Trifaze
Max Power KVA @ 0,8	8,7
Continuous Power KVA @ 0,8	8,1
Max Power KVA @ 1	7
Continuous Power KVA @ 1	6,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	80-85
Dimensions W X L X H	49x72x73
Starting Type	Electric & Coil Start
Net Weight	117 kg

## MDG9500DEMK



Engine	GM192FBE
Phase	Monofaze
Max Power KVA @ 0,8	8,7
Continuous Power KVA @ 0,8	8,1
Max Power KVA @ 1	7
Continuous Power KVA @ 1	6,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	68-72
Dimensions W X L X H	52x93x78
Starting Type	Electric Start
Net Weight	167 kg

## MDG9500DETK



Engine	GM192FBE
Phase	Trifaze
Max Power KVA @ 0,8	8,7
Continuous Power KVA @ 0,8	8,1
Max Power KVA @ 1	7
Continuous Power KVA @ 1	6,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	68-72
Dimensions W X L X H	52x93x78
Starting Type	Electric Start
Net Weight	168 kg

## MDG12000DEM



DIESEL

Engine	GM110F
Phase	Monofaze
Max Power KVA @ 0,8	10
Continuous Power KVA @ 0,8	9,4
Max Power KVA @ 1	8
Continuous Power KVA @ 1	7,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	80-85
Dimensions W X L X H	82x58x70
Starting Type	Electric Start
Net Weight	135 kg

## MDG12000DET



DIESEL

Engine	GM110F
Phase	Trifaze
Max Power KVA @ 0,8	10
Continuous Power KVA @ 0,8	9,4
Max Power KVA @ 1	8
Continuous Power KVA @ 1	7,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	80-85
Dimensions W X L X H	82x58x70
Starting Type	Electric Start
Net Weight	137 kg

## MDG12000DEMK



DIESEL

Engine	GM110F
Phase	Monofaze
Max Power KVA @ 0,8	10
Continuous Power KVA @ 0,8	9,4
Max Power KVA @ 1	8
Continuous Power KVA @ 1	7,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	25 liter
Sound Pressure : db(A) @7m	68-72
Dimensions W X L X H	90x110x88
Starting Type	Electric Start
Net Weight	168 kg

## MDG12000DETK



DIESEL

Engine	GM110F
Phase	Trifaze
Max Power KVA @ 0,8	10
Continuous Power KVA @ 0,8	9,4
Max Power KVA @ 1	8
Continuous Power KVA @ 1	7,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	25 liter
Sound Pressure : db(A) @7m	68-72
Dimensions W X L X H	90x110x88
Starting Type	Electric Start
Net Weight	243 kg

## MDG15000DEM



DIESEL

Engine	GM292F
Phase	Monofaze
Max Power KVA @ 0,8	17
Continuous Power KVA @ 0,8	15
Max Power KVA @ 1	13,5
Continuous Power KVA @ 1	12,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	25 liter
Sound Pressure : db(A) @7m	86
Dimensions W X L X H	98x70x87
Starting Type	Electric Start
Net Weight	265 kg

## MDG17000DEMK



DIESEL

Engine	GM292F
Phase	Monofaze
Max Power KVA @ 0,8	17
Continuous Power KVA @ 0,8	15
Max Power KVA @ 1	13,5
Continuous Power KVA @ 1	12,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	28 liter
Sound Pressure : db(A) @7m	70-74
Dimensions W X L X H	115x80x93
Starting Type	Electric Start
Net Weight	345 kg

## MDG17000DETK



Engine	GM292F
Phase	Trifaze
Max Power KVA @ 0,8	17
Continuous Power KVA @ 0,8	15
Max Power KVA @ 1	13,5
Continuous Power KVA @ 1	12,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	28 liter
Sound Pressure : db(A) @7m	70-74
Dimensions W X L X H	115x80x93
Starting Type	Electric Start
Net Weight	345 kg

## MDG17000DEMY



Engine	GM292F
Phase	Monofaze
Max Power KVA @ 0,8	17
Continuous Power KVA @ 0,8	15
Max Power KVA @ 1	13,5
Continuous Power KVA @ 1	12,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	-
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	86
Dimensions W X L X H	98x70x87
Starting Type	Electric Start
Net Weight	240 kg

## MDG17000DETY



Engine	GM292F
Phase	Trifaze
Max Power KVA @ 0,8	17
Continuous Power KVA @ 0,8	15
Max Power KVA @ 1	13,5
Continuous Power KVA @ 1	12,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	-
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	86
Dimensions W X L X H	98x70x87
Starting Type	Electric Start
Net Weight	240 kg



## MDG1000BM



Engine	GM156F
Phase	Monofaze
Max Power KVA @ 0,8	1,5
Continuous Power KVA @ 0,8	1,25
Max Power KVA @ 1	1,25
Continuous Power KVA @ 1	1
Battery Charger & Wheel Set	-
Voltage & Frequency Meter , Operation Hours Meter	Included
Fuel Tank Capacity	5 liter
Sound Pressure : db(A) @7m	66
Dimensions W X L X H	46x38x35
Starting Type	Coil Start
Net Weight	26 kg

## MDG3500BEM



Engine	GM210
Phase	Monofaze
Max Power KVA @ 0,8	3,75
Continuous Power KVA @ 0,8	3,5
Max Power KVA @ 1	3
Continuous Power KVA @ 1	2,8
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	70
Dimensions W X L X H	43x60x45
Starting Type	Electric & Coil Start
Net Weight	50 kg

## MDG7000BM



Engine	GM390
Phase	Monofaze
Max Power KVA @ 0,8	6,6
Continuous Power KVA @ 0,8	5,6
Max Power KVA @ 1	5,3
Continuous Power KVA @ 1	4,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
Fuel Tank Capacity	25 liter
Sound Pressure : db(A) @7m	72
Dimensions W X L X H	53x70x69
Starting Type	Coil Start
Net Weight	66 kg



## MDG7000BEM



Engine	GM390
Phase	Monofaze
Max Power KVA @ 0,8	6,6
Continuous Power KVA @ 0,8	5,6
Max Power KVA @ 1	5,3
Continuous Power KVA @ 1	4,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
Fuel Tank Capacity	25 liter
Sound Pressure : db(A) @7m	72
Dimensions W X L X H	53x70x69
Starting Type	Electric Start
Net Weight	82 kg

## MDG10000BEM



Engine	GM440E
Phase	Monofaze
Max Power KVA @ 0,8	10
Continuous Power KVA @ 0,8	9
Max Power KVA @ 1	8
Continuous Power KVA @ 1	7,2
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
Fuel Tank Capacity	25 liter
Sound Pressure : db(A) @7m	77
Dimensions W X L X H	53x70x69
Starting Type	Electric & Coil Start
Net Weight	90 kg

## MDG10000BET



Engine	GM440E
Phase	Trifaze
Max Power KVA @ 0,8	10
Continuous Power KVA @ 0,8	9
Max Power KVA @ 1	8
Continuous Power KVA @ 1	7,2
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
Fuel Tank Capacity	25 liter
Sound Pressure : db(A) @7m	77
Dimensions W X L X H	53x70x69
Starting Type	Electric & Coil Start
Net Weight	87 kg



# Your Power Partner



+90 216 494 64 84



+905452810435

Ata Mahallesi, Bursa Serbest Bölge Gelincik Cad. No:9, 16600 GEMLİK / BURSA  
Aydintepe Mahallesi Alkan Sokak No:7A 34947 TUZLA / İSTANBUL / TURKIYE

[www.masterpower.com.tr](http://www.masterpower.com.tr)



masterpowertr



masterpowertr



company/masterpower



masterpowergenerator