

PORTABLE GENERATORS



Diesel and Gasoline Powered

Your Power Partner www.masterpower.com.tr



MDG4500DEM Engine



GM178FE
Monofaze
4,5
3,75
3,65
3
Included
Included
Included
15 liter
80-85
48x64x67
Electric & Coil Start
75 kg

MDG7500DEM



Engine	GM186FAE
Phase	Monofaze
Max Power KVA @ 0,8	6,9
Continuous Power KVA @ 0,8	6,25
Max Power KVA @ 1	5,5
Continuous Power KVA @ 1	5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	80-85
Dimensions W X L X H	49x72x73
Starting Type	Electric & Coil Start
Net Weight	108 kg

MDG7500DET



GM186FAE
Trifaze
6,9
6,25
5,5
5
Included
Included
Included
15 liter
80-85
49x72x73
Electric & Coil Start
108 kg

MDG7500DEMK



ID 37 333DEIVIIX			
Engine	GM178FE		
Phase	Monofaze		
Max Power KVA @ 0,8	6,9		
Continuous Power KVA @ 0,8	6,25		
Max Power KVA @ 1	5,5		
Continuous Power KVA @ 1	5		
Battery Charger & Wheel Set	Included		
Voltage & Frequency Meter , Operation Hours Meter	Included		
ATS Output For Automatic Operation	Included		
Fuel Tank Capacity	15 liter		
Sound Pressure : db(A) @7m	68-72		
Dimensions W X L X H	52x93x78		
Starting Type	Electric Start		
Net Weight	165 kg		

MDG7500DETK



Engine	GM186FAE
Phase	Trifaze
Max Power KVA @ 0,8	6,9
Continuous Power KVA @ 0,8	6,25
Max Power KVA @ 1	5,5
Continuous Power KVA @ 1	5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	68-72
Dimensions W X L X H	52x93x78
Starting Type	Electric Start
Net Weight	165 kg

MDG9500DEM



ш		
	Engine	GM192FBE
	Phase	Monofaze
	Max Power KVA @ 0,8	8,7
	Continuous Power KVA @ 0,8	8,1
	Max Power KVA @ 1	7
	Continuous Power KVA @ 1	6,5
	Battery Charger & Wheel Set	Included
	Voltage & Frequency Meter , Operation Hours Meter	Included
	ATS Output For Automatic Operation	Included
	Fuel Tank Capacity	15 liter
	Sound Pressure : db(A) @7m	80-85
	Dimensions W X L X H	49x72x73
	Starting Type	Electric & Coil Start
	Net Weight	114 kg

2



MASTERPOWER® GENERATOR



MDG9500DET

Engine	GM192FBE
Phase	Trifaze
Max Power KVA @ 0,8	8,7
Continuous Power KVA @ 0,8	8,1
Max Power KVA @ 1	7
Continuous Power KVA @ 1	6,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	80-85
Dimensions W X L X H	49x72x73
Starting Type	Electric & Coil Start
Net Weight	117 kg





VIDG9300DLIVIK			
Engine	9	GM192FBE	
Phase		Monofaze	
Max P	ower KVA @ 0,8	8,7	
Contin	nuous Power KVA @ 0,8	8,1	
Max P	ower KVA @ 1	7	
Conti	nuous Power KVA @ 1	6,5	
Batter	y Charger & Wheel Set	Included	
Voltag	ge & Frequency Meter , Operation Hours Meter	Included	
ATS O	utput For Automatic Operation	Included	
Fuel To	ank Capacity	15 liter	
Sound	Pressure : db(A) @7m	68-72	
Dimer W X L		52x93x78	
Startin	д Туре	Electric Start	
Net W	eight	167 kg	

MDG9500DETK



	Engine	GM192FBE
	Phase	Trifaze
	Max Power KVA @ 0,8	8,7
	Continuous Power KVA @ 0,8	8,1
	Max Power KVA @ 1	7
	Continuous Power KVA @ 1	6,5
	Battery Charger & Wheel Set	Included
	Voltage & Frequency Meter , Operation Hours Meter	Included
	ATS Output For Automatic Operation	Included
	Fuel Tank Capacity	15 liter
	Sound Pressure : db(A) @7m	68-72
	Dimensions W X L X H	52x93x78
	Starting Type	Electric Start
	Net Weight	168 kg



MDG12000DEM



115 6 1 2 6 6 5 2 2 1 1 1			
Engine	GM110F		
Phase	Monofaze		
Max Power KVA @ 0,8	10		
Continuous Power KVA @ 0,8	9,4		
Max Power KVA @ 1	8		
Continuous Power KVA @ 1	7,5		
Battery Charger & Wheel Set	Included		
Voltage & Frequency Meter , Operation Hours Meter	Included		
ATS Output For Automatic Operation	Included		
Fuel Tank Capacity	15 liter		
Sound Pressure : db(A) @7m	80-85		
Dimensions W X L X H	82x58x70		
Starting Type	Electric Start		
Net Weight	135 kg		

MDG12000DET



Engine	GM110F
Phase	Trifaze
Max Power KVA @ 0,8	10
Continuous Power KVA @ 0,8	9,4
Max Power KVA @ 1	8
Continuous Power KVA @ 1	7,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	80-85
Dimensions W X L X H	82x58x70
Starting Type	Electric Start
Net Weight	137 kg

MDG12000DEMK



Engine	GM110F
Phase	Monofaze
Max Power KVA @ 0,8	10
Continuous Power KVA @ 0,8	9,4
Max Power KVA @ 1	8
Continuous Power KVA @ 1	7,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	25 liter
Sound Pressure : db(A) @7m	68-72
Dimensions W X L X H	90x110x88
Starting Type	Electric Start
Net Weight	168 kg



MDG12000DETK



Engine	GM110F
Phase	Trifaze
Max Power KVA @ 0,8	10
Continuous Power KVA @ 0,8	9,4
Max Power KVA @ 1	8
Continuous Power KVA @ 1	7,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	25 liter
Sound Pressure : db(A) @7m	68-72
Dimensions W X L X H	90x110x88
Starting Type	Electric Start
Net Weight	243 kg

MDG15000DEM



Engine	GM292F
Phase	Monofaze
Max Power KVA @ 0,8	17
Continuous Power KVA @ 0,8	15
Max Power KVA @ 1	13,5
Continuous Power KVA @ 1	12,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	25 liter
Sound Pressure : db(A) @7m	86
Dimensions W X L X H	98x70x87
Starting Type	Electric Start
Net Weight	265 kg

MDG17000DFMK




VIDO I / OUDDLIVIIX	
Engine	GM292F
Phase	Monofaze
Max Power KVA @ 0,8	17
Continuous Power KVA @ 0,8	15
Max Power KVA @ 1	13,5
Continuous Power KVA @ 1	12,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	28 liter
Sound Pressure : db(A) @7m	70-74
Dimensions W X L X H	115x80x93
Starting Type	Electric Start
Net Weight	345 kg

OWEN MDGI7000DETK

MDG17000DETK	
Engine	GM292F
Phase	Trifaze
Max Power KVA @ 0,8	17
Continuous Power KVA @ 0,8	15
Max Power KVA @ 1	13,5
Continuous Power KVA @ 1	12,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	Included
Fuel Tank Capacity	28 liter
Sound Pressure : db(A) @7m	70-74
Dimensions W X L X H	115x80x93
Starting Type	Electric Start
Net Weight	345 kg



MDG17000DEMY





MDG17000DETY

Engine	GM292F
Phase	Trifaze
Max Power KVA @ 0,8	17
Continuous Power KVA @ 0,8	15
Max Power KVA @ 1	13,5
Continuous Power KVA @ 1	12,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
ATS Output For Automatic Operation	-
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	86
Dimensions W X L X H	98x70x87
Starting Type	Electric Start
Net Weight	240 kg







MDG1000BM



100000111	
Engine	GM156F
Phase	Monofaze
Max Power KVA @ 0,8	1,5
Continuous Power KVA @ 0,8	1,25
Max Power KVA @ 1	1,25
Continuous Power KVA @ 1	1
Battery Charger & Wheel Set	-
Voltage & Frequency Meter , Operation Hours Meter	Included
Fuel Tank Capacity	5 liter
Sound Pressure : db(A) @7m	66
Dimensions W X L X H	46x38x35
Starting Type	Coil Start
Net Weight	26 kg

MDG3500BEM



Engine	GM210
Phase	Monofaze
Max Power KVA @ 0,8	3,75
Continuous Power KVA @ 0,8	3,5
Max Power KVA @ 1	3
Continuous Power KVA @ 1	2,8
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
Fuel Tank Capacity	15 liter
Sound Pressure : db(A) @7m	70
Dimensions W X L X H	43x60x45
Starting Type	Electric & Coil Start
Net Weight	50 kg

MDG7000BM



Engine	GM390
Phase	Monofaze
Max Power KVA @ 0,8	6,6
Continuous Power KVA @ 0,8	5,6
Max Power KVA @ 1	5,3
Continuous Power KVA @ 1	4,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
Fuel Tank Capacity	25 liter
Sound Pressure : db(A) @7m	72
Dimensions W X L X H	53x70x69
Starting Type	Coil Start
Net Weight	66 kg



MDG7000BEM



Engine	GM390
Phase	Monofaze
Max Power KVA @ 0,8	6,6
Continuous Power KVA @ 0,8	5,6
Max Power KVA @ 1	5,3
Continuous Power KVA @ 1	4,5
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
Fuel Tank Capacity	25 liter
Sound Pressure : db(A) @7m	72
Dimensions W X L X H	53x70x69
Starting Type	Electric Start
Net Weight	82 kg

MDG10000BEM



1150100052111	
Engine	GM440E
Phase	Monofaze
Max Power KVA @ 0,8	10
Continuous Power KVA @ 0,8	9
Max Power KVA @ 1	8
Continuous Power KVA @ 1	7,2
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
Fuel Tank Capacity	25 liter
Sound Pressure : db(A) @7m	77
Dimensions W X L X H	53x70x69
Starting Type	Electric & Coil Start
Net Weight	90 kg

MDG10000BET



Engine	GM440E
Phase	Trifaze
Max Power KVA @ 0,8	10
Continuous Power KVA @ 0,8	9
Max Power KVA @ 1	8
Continuous Power KVA @ 1	7,2
Battery Charger & Wheel Set	Included
Voltage & Frequency Meter , Operation Hours Meter	Included
Fuel Tank Capacity	25 liter
Sound Pressure : db(A) @7m	77
Dimensions W X L X H	53x70x69
Starting Type	Electric & Coil Start
Net Weight	87 kg



Your Power Partner

Ata Mahallesi, Bursa Serbest Bölge Gelincik Cad. No:9, 16600 GEMLIK / BURSA Aydıntepe Mahallesi Alkan Sokak No:7A 34947 TUZLA / İSTANBUL / TURKIYE www.masterpower.com.tr







